




# FUSHENG RUBBER PRODUCTS Co., Ltd.

## AN931 Grommet Price List



If you need prices in other material, Please feel free to contact us.


Jun/20/2017

Part Number	A (OD)		B (ID)		C (THICKNESS)		D (GROOVE WIDTH)		E (GD)		Price (SBR 60 Shore A)	Price (NBR 60 shore A)					
	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm							
AN930-1	11/16	0.687	17.4	3/8	0.375	9.5	9/32	0.281	7.1	1/16	0.062	1.6	1/2	0.5	12.7	0.008	0.009
AN930-3	3/4	0.75	19.1	3/8	0.375	9.5	3/4	0.75	19.1	3/8	0.375	9.5	9/16	0.562	14.3	0.020	0.024
AN930-4	1	1	25.4	1/2	0.5	12.7	9/32	0.281	7.1	3/32	0.093	2.4	3/4	0.75	19.1	0.016	0.019
AN931-2-9	3/4	0.75	19.1	1/8	0.125	3.2	3/16	0.187	4.7	1/16	0.062	1.6	9/16	0.562	14.3	0.008	0.010
AN931-A2-9	3/4	0.75	19.1	1/8	0.125	3.2	1/4	0.25	6.4	1/8	0.125	3.2	9/16	0.562	14.3	0.010	0.012
AN931-2-16	1-1/4	1.25	31.8	1/8	0.125	3.2	1/4	0.25	6.4	1/16	0.062	1.6	1	1	25.4	0.029	0.033
AN931-A2-16	1-1/4	1.25	31.8	1/8	0.125	3.2	5/16	0.312	7.9	1/8	0.125	3.2	1	1	25.4	0.033	0.038
AN931-3-5	7/16	0.437	11.1	3/16	0.187	4.7	3/16	0.187	4.7	1/16	0.062	1.6	5/16	0.312	7.9	0.005	0.005
AN931-A3-5	7/16	0.437	11.1	3/16	0.187	4.7	1/4	0.25	6.4	1/8	0.125	3.2	5/16	0.312	7.9	0.005	0.005
AN931-B3-5	7/16	0.437	11.1	3/16	0.187	4.7	5/16	0.312	7.9	3/16	0.187	4.7	5/16	0.312	7.9	0.005	0.005
AN931-C3-5	7/16	0.437	11.1	3/16	0.187	4.7	3/8	0.375	9.5	1/4	0.25	6.4	5/16	0.312	7.9	0.005	0.005
AN931-3-9	3/4	0.75	19.1	3/16	0.187	4.7	3/16	0.187	4.7	1/16	0.062	1.6	9/16	0.562	14.3	0.007	0.008
AN931-A3-9	3/4	0.75	19.1	3/16	0.187	4.7	1/4	0.25	6.4	1/8	0.125	3.2	9/16	0.562	14.3	0.010	0.012
AN931-3-10	7/8	0.875	22.2	3/16	0.187	4.7	3/16	0.187	4.7	1/16	0.062	1.6	5/8	0.625	15.9	0.013	0.014
AN931-A3-10	7/8	0.875	22.2	3/16	0.187	4.7	1/4	0.25	6.4	1/8	0.125	3.2	5/8	0.625	15.9	0.013	0.014
AN931-4-7	5/8	0.625	15.9	1/4	0.25	6.4	3/16	0.187	4.7	1/16	0.062	1.6	7/16	0.437	11.1	0.006	0.007
AN931-A4-7	5/8	0.625	15.9	1/4	0.25	6.4	1/4	0.25	6.4	1/8	0.125	3.2	7/16	0.437	11.1	0.008	0.010
AN931-B4-7	5/8	0.625	15.9	1/4	0.25	6.4	5/16	0.312	7.9	3/16	0.187	4.7	7/16	0.437	11.1	0.006	0.008
AN931-C4-7	5/8	0.625	15.9	1/4	0.25	6.4	3/8	0.375	9.5	1/4	0.25	6.4	7/16	0.437	11.1	0.008	0.009
AN931-4-12	1	1	25.4	1/4	0.25	6.4	1/4	0.25	6.4	1/16	0.062	1.6	3/4	0.75	19.1	0.017	0.021
AN931-A4-12	1	1	25.4	1/4	0.25	6.4	5/16	0.312	7.9	1/8	0.125	3.2	3/4	0.75	19.1	0.019	0.023
AN931-B4-12	1	1	25.4	1/4	0.25	6.4	3/8	0.375	9.5	3/16	0.187	4.7	3/4	0.75	19.1	0.023	0.027
AN931-C4-12	1	1	25.4	1/4	0.25	6.4	7/16	0.437	11.1	1/4	0.25	6.4	3/4	0.75	19.1	0.025	0.030
AN931-4-16	1-1/4	1.25	31.8	1/4	0.25	6.4	1/4	0.25	6.4	1/16	0.062	1.6	1	1	25.4	0.028	0.033
AN931-A4-16	1-1/4	1.25	31.8	1/4	0.25	6.4	5/16	0.312	7.9	1/8	0.125	3.2	1	1	25.4	0.024	0.028



# FUSHENG RUBBER PRODUCTS Co., Ltd.

## AN931 Grommet Price List



If you need prices in other material, Please feel free to contact us.


Jun/20/2017

Part Number	A (OD)		B (ID)		C (THICKNESS)		D (GROOVE WIDTH)		E (GD)		Price (SBR 60 Shore A)	Price (NBR 60 shore A)					
	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm							
AN931-5-9	13/16	0.812	20.6	5/16	0.312	7.9	5/16	0.312	7.9	1/16	0.062	1.6	9/16	0.562	14.3	0.015	0.017
AN931-A5-9	13/16	0.812	20.6	5/16	0.312	7.9	3/8	0.375	9.5	1/8	0.125	3.2	9/16	0.562	14.3	0.015	0.017
AN931-B5-9	13/16	0.812	20.6	5/16	0.312	7.9	7/16	0.437	11.1	3/16	0.187	4.7	9/16	0.562	14.3	0.017	0.020
AN931-C5-9	13/16	0.812	20.6	5/16	0.312	7.9	1/2	0.5	12.7	1/4	0.25	6.4	9/16	0.562	14.3	0.018	0.021
AN931-5-12	1	1	25.4	5/16	0.312	7.9	5/16	0.312	7.9	1/16	0.062	1.6	3/4	0.75	19.1	0.020	0.024
AN931-A5-12	1	1	25.4	5/16	0.312	7.9	3/8	0.375	9.5	1/8	0.125	3.2	3/4	0.75	19.1	0.023	0.026
AN931-B5-12	1	1	25.4	5/16	0.312	7.9	7/16	0.437	11.1	3/16	0.187	4.7	3/4	0.75	19.1	0.023	0.027
AN931-C5-12	1	1	25.4	5/16	0.312	7.9	1/2	0.5	12.7	1/4	0.25	6.4	3/4	0.75	19.1	0.025	0.029
AN931-5-13	1-1/16	1.062	27	5/16	0.312	7.9	5/16	0.312	7.9	1/16	0.062	1.6	13/16	0.812	20.6	0.022	0.025
AN931-A5-13	1-1/16	1.062	27	5/16	0.312	7.9	3/8	0.375	9.5	1/8	0.125	3.2	13/16	0.812	20.6	0.025	0.029
AN931-6-10	7/8	0.875	22.2	3/8	0.375	9.5	5/16	0.312	7.9	1/16	0.062	1.6	5/8	0.625	15.9	0.016	0.019
AN931-A6-10	7/8	0.875	22.2	3/8	0.375	9.5	3/8	0.375	9.5	1/8	0.125	3.2	5/8	0.625	15.9	0.015	0.017
AN931-B6-10	7/8	0.875	22.2	3/8	0.375	9.5	7/16	0.437	11.1	3/16	0.187	4.7	5/8	0.625	15.9	0.017	0.020
AN931-C6-10	7/8	0.875	22.2	3/8	0.375	9.5	1/2	0.5	12.7	1/4	0.25	6.4	5/8	0.625	15.9	0.019	0.022
AN931-6-16	1-1/4	1.25	31.8	3/8	0.375	9.5	1/4	0.25	6.4	1/16	0.062	1.6	1	1	25.4	0.026	0.030
AN931-A6-16	1-1/4	1.25	31.8	3/8	0.375	9.5	5/16	0.312	7.9	1/8	0.125	3.2	1	1	25.4	0.029	0.034
AN931-C6-16	1-1/4	1.25	31.8	3/8	0.375	9.5	7/16	0.437	11.1	1/4	0.25	6.4	1	1	25.4	0.036	0.042
AN931-7-11	15/16	0.937	23.8	7/16	0.437	11.1	5/16	0.312	7.9	1/16	0.062	1.6	11/16	0.687	17.4	0.016	0.019
AN931-A7-11	15/16	0.937	23.8	7/16	0.437	11.1	3/8	0.375	9.5	1/8	0.125	3.2	11/16	0.687	17.4	0.019	0.022
AN931-B7-11	15/16	0.937	23.8	7/16	0.437	11.1	7/16	0.437	11.1	3/16	0.187	4.7	11/16	0.687	17.4	0.019	0.022
AN931-C7-11	15/16	0.937	23.8	7/16	0.437	11.1	1/2	0.5	12.7	1/4	0.25	6.4	11/16	0.687	17.4	0.019	0.022
AN931-8-13	1-1/16	1.062	27	1/2	0.5	12.7	5/16	0.312	7.9	1/16	0.062	1.6	13/16	0.812	20.6	0.020	0.023
AN931-A8-13	1-1/16	1.062	27	1/2	0.5	12.7	3/8	0.375	9.5	1/8	0.125	3.2	13/16	0.812	20.6	0.020	0.024
AN931-B8-13	1-1/16	1.062	27	1/2	0.5	12.7	7/16	0.437	11.1	3/16	0.187	4.7	13/16	0.812	20.6	0.022	0.026
AN931-C8-13	1-1/16	1.062	27	1/2	0.5	12.7	1/2	0.5	12.7	1/4	0.25	6.4	13/16	0.812	20.6	0.025	0.029



# FUSHENG RUBBER PRODUCTS Co., Ltd.

## AN931 Grommet Price List



If you need prices in other material, Please feel free to contact us.


Jun/20/2017

Part Number	A (OD)		B (ID)		C (THICKNESS)		D (GROOVE WIDTH)		E (GD)		Price (SBR 60 Shore A)	Price (NBR 60 shore A)					
	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm							
AN931-8-20	1-1/2	1.5	38.1	1/2	0.5	12.7	1/4	0.25	6.4	1/16	0.062	1.6	1-1/4	1.25	31.8	0.036	0.043
AN931-A8-20	1-1/2	1.5	38.1	1/2	0.5	12.7	5/16	0.312	7.9	1/8	0.125	3.2	1-1/4	1.25	31.8	0.039	0.046
AN931-B8-20	1-1/2	1.5	38.1	1/2	0.5	12.7	3/8	0.375	9.5	3/16	0.187	4.7	1-1/4	1.25	31.8	0.046	0.054
AN931-C8-20	1-1/2	1.5	38.1	1/2	0.5	12.7	7/16	0.437	11.1	1/4	0.25	6.4	1-1/4	1.25	31.8	0.058	0.068
AN931-9-13	1-1/16	1.062	27	9/16	0.562	14.3	5/16	0.312	7.9	1/16	0.062	1.6	13/16	0.812	20.6	0.019	0.023
AN931-A9-13	1-1/16	1.062	27	9/16	0.562	14.3	3/8	0.375	9.5	1/8	0.125	3.2	13/16	0.812	20.6	0.019	0.023
AN931-B9-13	1-1/16	1.062	27	9/16	0.562	14.3	7/16	0.437	11.1	3/16	0.187	4.7	13/16	0.812	20.6	0.019	0.023
AN931-C9-13	1-1/16	1.062	27	9/16	0.562	14.3	1/2	0.5	12.7	1/4	0.25	6.4	13/16	0.812	20.6	0.022	0.026
AN931-10-14	1-1/8	1.125	28.6	5/8	0.625	15.9	5/16	0.312	7.9	1/16	0.062	1.6	7/8	0.875	22.2	0.021	0.025
AN931-A10-14	1-1/8	1.125	28.6	5/8	0.625	15.9	3/8	0.375	9.5	1/8	0.125	3.2	7/8	0.875	22.2	0.020	0.024
AN931-B10-14	1-1/8	1.125	28.6	5/8	0.625	15.9	7/16	0.437	11.1	3/16	0.187	4.7	7/8	0.875	22.2	0.023	0.027
AN931-C10-14	1-1/8	1.125	28.6	5/8	0.625	15.9	1/2	0.5	12.7	1/4	0.25	6.4	7/8	0.875	22.2	0.023	0.027
AN931-10-20	1-1/2	1.5	38.1	5/8	0.625	15.9	1/4	0.25	6.4	1/16	0.062	1.6	1-1/4	1.25	31.8	0.033	0.039
AN931-A10-20	1-1/2	1.5	38.1	5/8	0.625	15.9	5/16	0.312	7.9	1/8	0.125	3.2	1-1/4	1.25	31.8	0.039	0.045
AN931-11-16	1-5/16	1.312	33.3	11/16	0.687	17.4	3/8	0.375	9.5	1/16	0.062	1.6	1	1	25.4	0.029	0.034
AN931-A11-16	1-5/16	1.312	33.3	11/16	0.687	17.4	7/16	0.437	11.1	1/8	0.125	3.2	1	1	25.4	0.035	0.041
AN931-B11-16	1-5/16	1.312	33.3	11/16	0.687	17.4	1/2	0.5	12.7	3/16	0.187	4.7	1	1	25.4	0.035	0.041
AN931-C11-16	1-5/16	1.312	33.3	11/16	0.687	17.4	9/16	0.563	14.3	1/4	0.25	6.4	1	1	25.4	0.039	0.045
AN931-12-17	1-3/8	1.375	34.9	3/4	0.75	19.1	3/8	0.375	9.5	1/16	0.062	1.6	1-1/16	1.062	27	0.033	0.038
AN931-A12-17	1-3/8	1.375	34.9	3/4	0.75	19.1	7/16	0.437	11.1	1/8	0.125	3.2	1-1/16	1.062	27	0.033	0.038
AN931-B12-17	1-3/8	1.375	34.9	3/4	0.75	19.1	1/2	0.5	12.7	3/16	0.187	4.7	1-1/16	1.062	27	0.039	0.046
AN931-C12-17	1-3/8	1.375	34.9	3/4	0.75	19.1	9/16	0.563	14.3	1/4	0.25	6.4	1-1/16	1.062	27	0.039	0.045
AN931-12-20	1-5/8	1.625	41.3	3/4	0.75	19.1	1/4	0.25	6.4	1/16	0.062	1.6	1-1/4	1.25	31.8	0.039	0.045
AN931-A12-20	1-5/8	1.625	41.3	3/4	0.75	19.1	5/16	0.312	7.9	1/8	0.125	3.2	1-1/4	1.25	31.8	0.042	0.049
AN931-12-23	1-13/16	1.812	46	3/4	0.75	19.1	3/8	0.375	9.5	1/16	0.062	1.6	1-7/16	1.437	36.5	0.060	0.070



# FUSHENG RUBBER PRODUCTS Co., Ltd.

## AN931 Grommet Price List



If you need prices in other material, Please feel free to contact us.

Jun/20/2017

Part Number	A (OD)		B (ID)		C (THICKNESS)		D (GROOVE WIDTH)		E (GD)		Price (SBR 60 Shore A)	Price (NBR 60 shore A)					
	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm							
AN931-14-20	1-5/8	1.625	41.3	7/8	0.875	22.2	7/16	0.437	11.1	1/16	0.062	1.6	1-1/4	1.25	31.8	0.048	0.057
AN931-A14-20	1-5/8	1.625	41.3	7/8	0.875	22.2	1/2	0.5	12.7	1/8	0.125	3.2	1-1/4	1.25	31.8	0.054	0.064
AN931-B14-20	1-5/8	1.625	41.3	7/8	0.875	22.2	9/16	0.563	14.3	3/16	0.187	4.7	1-1/4	1.25	31.8	0.065	0.076
AN931-C14-20	1-5/8	1.625	41.3	7/8	0.875	22.2	5/8	0.625	15.9	1/4	0.25	6.4	1-1/4	1.25	31.8	0.066	0.077
AN931-14-26	2	2	50.8	7/8	0.875	22.2	7/16	0.437	11.1	1/16	0.062	1.6	1-5/8	1.625	41.3	0.096	0.112
AN931-A14-26	2	2	50.8	7/8	0.875	22.2	1/2	0.5	12.7	1/8	0.125	3.2	1-5/8	1.625	41.3	0.105	0.123
AN931-16-22	1-3/4	1.75	44.5	1	1	25.4	7/16	0.437	11.1	1/16	0.062	1.6	1-3/8	1.375	34.9	0.059	0.069
AN931-A16-22	1-3/4	1.75	44.5	1	1	25.4	1/2	0.5	12.7	1/8	0.125	3.2	1-3/8	1.375	34.9	0.063	0.074
AN931-B16-22	1-3/4	1.75	44.5	1	1	25.4	9/16	0.563	14.3	3/16	0.187	4.7	1-3/8	1.375	34.9	0.068	0.079
AN931-C16-22	1-3/4	1.75	44.5	1	1	25.4	5/8	0.625	15.9	1/4	0.25	6.4	1-3/8	1.375	34.9	0.071	0.084
AN931-16-30	2-1/4	2.25	57.2	1	1	25.4	7/16	0.437	11.1	1/16	0.062	1.6	1-7/8	1.875	47.6	0.114	0.134
AN931-A16-30	2-1/4	2.25	57.2	1	1	25.4	5/8	0.625	15.9	1/8	0.125	3.2	1-7/8	1.875	47.6	0.122	0.143
AN931-B16-30	2-1/4	2.25	57.2	1	1	25.4	9/16	0.563	14.3	3/16	0.187	4.7	1-7/8	1.875	47.6	0.133	0.156
AN931-A20-38	2-3/4	2.75	69.9	1-1/4	1.25	31.8	7/16	0.437	11.1	1/8	0.125	3.2	2-3/8	2.375	60.3	0.204	0.239
AN931-A20-40	2-7/8	2.875	73	1-1/4	1.25	31.8	7/16	0.437	11.1	1/8	0.125	3.2	2-1/2	2.5	63.5	0.212	0.248
AN931-24-28	2-1/8	2.125	54	1-1/2	1.5	38.1	7/16	0.437	11.1	1/16	0.062	1.6	1-3/4	1.75	44.5	0.070	0.082
AN931-A24-28	2-1/8	2.125	54	1-1/2	1.5	38.1	1/2	0.5	12.7	1/8	0.125	3.2	1-3/4	1.75	44.5	0.065	0.076
AN931-B24-28	2-1/8	2.125	54	1-1/2	1.5	38.1	9/16	0.563	14.3	3/16	0.187	4.7	1-3/4	1.75	44.5	0.067	0.078
AN931-C24-28	2-1/8	2.125	54	1-1/2	1.5	38.1	5/8	0.625	15.9	1/4	0.25	6.4	1-3/4	1.75	44.5	0.068	0.079
AN931-24-44	3-1/4	3.25	82.6	1-1/2	1.5	38.1	7/16	0.437	11.1	1/16	0.062	1.6	2-3/4	2.75	69.9	0.253	0.297

Website : [www.fsrubberdesign.com](http://www.fsrubberdesign.com) Email : [sales@fsrubberdesign.com](mailto:sales@fsrubberdesign.com) Tel : +886-2-2838-4759